

Message

From: Kelly, Jack (R3 Phila.) [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=6EABB849A5CB43A9904FEB0B53BABC48-JKELLY04]
Sent: 1/13/2020 4:09:38 PM
To: Gross-Davis, CarolAnn [Gross-Davis.CarolAnn@epa.gov]
Subject: FW: CDX CEDRI Review Notification for PHILADELPHIA ENERGY SOLUTIONS LLC
Attachments: Copy of BFL FLM Philadelphia Energy Solutions 2019 Q2.xlsx

First of several

Jack Kelly
On Scene Coordinator
EPA Region 3
215-514-6792 cell

From: Keith Lemchak <Keith.Lemchak@PHILA.GOV>
Sent: Wednesday, August 28, 2019 1:09 PM
To: Kelly, Jack (R3 Phila.) <Kelly.Jack@epa.gov>
Cc: Augustine, Bruce <augustine.bruce@epa.gov>
Subject: Re: CDX CEDRI Review Notification for PHILADELPHIA ENERGY SOLUTIONS LLC

Hi Jack,

This is for the Benzene fenceline monitoring.
There's a public release date from CEDRI of 9/7/19, unless its withdrawn from now until then.
Attached is the spreadsheet that was posted on CEDRI.
The average is still over 9 ug/m3

Thanks,

Keith Lemchak, Chief of Facility Compliance and Enforcement
City of Philadelphia Department of Public Health
Air Management Services
Facility Compliance and Enforcement
321 University Avenue
Philadelphia, PA 19104

P: 215-685-9443
F: 215-685-7593

From: Kelly, Jack (R3 Phila.) <Kelly.Jack@epa.gov>
Sent: Wednesday, August 28, 2019 12:08 PM
To: Keith Lemchak <Keith.Lemchak@PHILA.GOV>

Cc: Augustine, Bruce <augustine.bruce@epa.gov>

Subject: Re: CDX CEDRI Review Notification for PHILADELPHIA ENERGY SOLUTIONS LLC

External Email Notice. This email comes from outside of City government. Do not click on links or open attachments unless you recognize the sender.

Keith, Bruce,

I am going to try and review this later today if I can access it.

ATSDR Lora Werner would like to see in case calls come to them particularly after last nights meeting.

AND IS THE DATA TO BE KEPT INTERNAL?

Thanks!

Sent from my iPhone

On Aug 8, 2019, at 1:48 PM, Keith Lemchak <Keith.Lemchak@phila.gov> wrote:

FYI Benzene Fenceline Monitoring Report

Keith Lemchak, Chief of Facility Compliance and Enforcement
City of Philadelphia Department of Public Health
Air Management Services
Facility Compliance and Enforcement
321 University Avenue
Philadelphia, PA 19104

P: 215-685-9443

F: 215-685-7593

From: CEDRI <NoReply@epacdx.net>

Sent: Thursday, August 8, 2019 1:06 PM

To: Keith Lemchak <Keith.Lemchak@PHILA.GOV>

Subject: CDX CEDRI Review Notification for PHILADELPHIA ENERGY SOLUTIONS LLC

External Email Notice. This email comes from outside of City government. Do not click on links or open attachments unless you recognize the sender.

State Reviewer Notification

This e-mail is to inform you that the following submission package was successfully signed and has reached CEDRI. To view each report in this submission package, click the link(s) under "Report Type", and then log into the CDX.

Submission Details:

Submission Package Name:	PES BFL 2019 Q2
Submission Date/Time:	Aug 8, 2019 1:06:52 PM
Certifier Name:	Mr Daniel Statile
Certifier Organization:	Philadelphia Energy Solutions
Certifier Facility:	PHILADELPHIA ENERGY SOLUTIONS LLC
Facility Address:	3144 W PASSYUNK AVE PHILADELPHIA, PA 19145
EPA Facility Id:	110000336994
CROMERR Activity ID:	_d86bc545-38bd-4615-9158-929140a68bbd

Report Name	Report Type	Regulation Part/Subpart	Public Release Date via WebFIRE
<u>63.655(h)(8)</u> <u>Fenceline</u> <u>Monitoring</u> <u>Report</u>	<u>AER</u>	Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories PA - Subpart CC - Petroleum Refineries	Sep 7, 2019

You must use the Electronic Reporting Tool (ERT) to view the performance test (.acddb) files. If you do not have the current ERT, please download the current ERT to open and review the performance test report. The tool is located at <https://www.epa.gov/electronic-reporting-air-emissions/electronic-reporting-tool-ert>.

This message is being sent to you as a notification of a withdrawn report for a facility in your region. If you believe this facility is under your jurisdiction or that this email is not intended for you, please contact the CDX Helpdesk at 1-888-890-1995. If you would like to only receive certain reports based on report type, regulation Part/Subpart, or county, please use the Notifications section of the CEDRI application.